

AMTROL has been manufacturing Reverse Osmosis Water Storage Tanks for over 4 decades. Not only have we been doing it longer than anyone else, we actually invented the technology behind RO tanks.

Our proven technology, vast experience and countless other qualities are what place AMTROL high above other manufacturers with their look-alike tanks. Remember, looks can be deceiving. And in the end, you always get what you pay for.

ITEM

## A Heritage of trust.

## **RO TANKS SPECIFICATION CHART**


ITEM DESC.

**GALLONS** 

• Made in USA	RO-2	140 - 32 140 - 653	RO - 2 RO - 2	2gal	7.6litrs
<ul> <li>Unsurpassed customer service</li> <li>Expert technical support</li> <li>ISO Certified</li> <li>All models NSF Listed</li> </ul>	RO-3	140S688 140S689 140S723 140S728	RO - 3 RO - 3 RO - 3 RO - 3 Bumps	3.2gal	12.1litrs
Industry's most comprehensive five-year warranty  AMTROL invented technology  4 decades  CE	RO-4	141S145 141S152 141S343 141S344 141S351 141S352	RO - 4 RO - 4 RO - 4 RO - 4 RO - 4 Bumps RO - 4 Bumps	4.4gal	17litrs
	RO-10	143-132	RO - 10	10gal	37.8litrs
	RO-14	143-198 143-293	RO - 14 RO - 14	14gal	53litrs
	RO-20	144-120	RO - 20	20gal	76litrs
	RO-34	147-47	RO - 34	34gal	129litrs
	RO-44	147-69	RO-44 No/Elbow	34gal	167litrs
	RO-86	150-6	RO - 86	86gal	326litrs

AMTROL Water Storage Tanks are built tough to last. As a result, they've long been known as the word's most reliable RO tank. Our tanks are individually-tested, making them extremely safe. They're designed to meet the most demanding specifications for potable water. No one offers a broader line of tanks than we do. So, when you're looking for an RO tank for a specific application, you can be sure we'll have it for you.

The deeper you look, the better we look.



COLOR	OLOR SIZE MATERIAL C		DIAN CM	DIAMETER CM INCHES		HT INCHES	SHIPPING WEIGHT	
Blue	1/4	Brass	20.32	8'	32.07	12'5/8"	2.3 kg/5lbs.	
Blue	1/4	Stainless Steel						
Blue	1/4	Brass	23.02	9'1/16"	35.8	14'3/32"	3.2 kg/7lbs.	
White	1/4	Brass						
White	1/4	Stainless Steel						
White	1/4	Stainless Steel						
Blue	1/4	Brass	27.94	11'	38.1	15'	4.1 kg/9lbs.	
White	1/4	Brass						
Blue	1/4	Stainless Steel						
White	1/4	Stainless Steel						
White	1/4	Stainless Steel						
Blue	1/4	Stainless Steel						
Blue	3/4	Brass	39.05	15'3/8"	44.13	17'3/8"	9.7 kg/20lbs.	
Blue	3/4	Brass	39.05	15'3/8"	56.36	22'3/16"	10.9 kg/24lbs.	
Blue	1/4	Brass	07.00	13 0	00.00	22 10	10.7 kg/ 2-100.	
Blue	1'	Brass	39.05	15'3/8"	80.65	31'3/4"	14.6 kg/32lbs.	
Blue	1'1/4	Brass	55.88	22'	74.93	29'1/2"	27.7 kg/61lbs.	
Blue	1'1/4	Brass	55.88	22'	91.44	29'1/2"	39.1 kg/86lbs.	
Blue	1'1/4	Brass	66.04	26'	119.86	<b>47'</b> 3/ <sub>16</sub> "	55.8 kg/123lbs.	

			PRE-CHARGED PRESSURE 5 PSIG							
			WATER CAPACITY IN GALLONS (LITRES) AT VARIOUS SYSTEM PRESSURE							
RO TANKS SELECTION GUIDE	MODEL NUMBER	TOTAL TANK VOLUME	psig <b>20</b> bar 1.38	<b>30</b> 2.07	<b>40</b> 2.76	<b>50</b> 3.45	<b>60</b> 4.14	<b>70</b> 4.83		
	RO-2	Gal. <b>2.0</b> Ltrs. 7.6	<b>0.9</b> 3.3	<b>1.1</b> 4.2	<b>1.3</b> 4.8	<b>1.4</b> 5.3	<b>1.5</b> 5.6	<b>1.5</b> 5.8		
	RO-3	Gal. <b>3.2</b> Ltrs. 12.1	<b>1.4</b> 5.2	<b>1.8</b> 6.8	<b>2.0</b> 7.7	<b>2.2</b> 8.4	<b>2.4</b> 8.9	<b>2.5</b> 9.3		
	RO-4	Gal. <b>4.4</b> Ltrs. 17.0	<b>1.9</b> 7.2	<b>2.5</b> 9.3	<b>2.8</b> 10.7	<b>3.1</b> 11. <i>7</i>	<b>3.2</b> 12.3	<b>3.4</b> 12.8		
	RO-10	Gal. <b>10.0</b> Ltrs. 37.8	<b>4.3</b> 16.2	<b>5.6</b> 21.1	<b>6.3</b> 23.9	<b>6.9</b> 26.1	<b>7.3</b> 27.6	<b>7.6</b> 28.7		
	RO - 14	Gal. <b>14.0</b> Ltrs. 53.0	<b>6.1</b> 22.9	<b>7.8</b> 29.6	<b>9.0</b> 33.9	<b>9.7</b> 36.9	<b>10.3</b> 39.0	<b>10.7</b> 40.7		
	RO - 20	Gal. <b>20.0</b> Ltrs. 76.0	<b>5.8</b> 21.8	<b>8.9</b> 33.9	<b>11.0</b> 41.5	*	*	*		
	RO - 34	Gal. <b>34.0</b> Ltrs.129.0	<b>9.1</b> 34.4	<b>14.7</b> 55.5	<b>18.2</b> 68.9	<b>20.6</b> 78.1	<b>22.4</b> 84.9	<b>23.8</b> 90.1		
	RO - 44	Gal. <b>44.0</b> Ltrs. 167.0	<b>12.7</b> 48.0	<b>19.7</b> 74.5	<b>24.1</b> 91.3	<b>27.2</b> 103.0	<b>29.5</b> 111.5	<b>31.2</b> 118.0		
	RO - 86	Gal. <b>86.0</b> Ltrs.326.0	<b>24.8</b> 93.8	<b>38.5</b> 145.6	<b>47.2</b> 178.5	<b>53.2</b> 201.2	*	*		

## We're just a phone call away.

Making and offering the most rugged RO tanks is all well and good. But we also have a softer side here at AMTROL. You'll encounter it each time you need to call us for customer service or technical support. When you do, you'll find it most assuring, if and when an issue arises. Here are a couple of more things you'll find easy to take with AMTROL: we offer on-time delivery and ready availability on each and every RO tank we make.

When you buy an AMTROL RO tank, you can feel confident that you're getting the absolute best tank the industry has to offer. On top of that, you're getting it from a manufacturer who is as committed to their business as it is to yours. For more information, call 401-535-1216, fax 401-884-5276, or visit us on the web at www.amtrol.com. Whether you contact us today or tomorrow, you can be sure that we'll be there for you.

